

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	10	pattern same imag\$4 same digital same interference same distortion	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 10:22
S2	246	(test near1 pattern\$1) same imag\$4 same distortion	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/16 17:44
S3	3	(test near1 pattern\$1) same imag\$4 same distortion same print\$4 same (adjust\$4 calibrat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 10:49
S4	81	("2790844"   "4275413"   "4310248"   "4500919"   "4841360"   "5060013"   "5062714"   "5107332"   "5227815").PN. OR ("5416613").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/10 10:27
S5	20	((("4903067") or ("5452073") or ("5857784") or ("6022154") or ("6164847") or ("6226419") or ("6310637") or ("6644773") or ("20020063871") or ("20020141769") or ("20030174184"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/16 20:27
S6	9	("4365873"   "4920355"   "5084758"   "5530460"   "5648801"   "5757400").PN. OR ("6310637").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/10 10:39
S8	5	(test near2 pattern\$1) same imag\$4 same distortion same pattern\$1 same digital same (adjust\$4 calibrat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 10:51
S9	6	(printer (printing adj (device sysem apparatus machine))) and (adjust\$4 calibrat\$4) and (test near2 pattern\$1) same imag\$4 same distort\$4 same pattern\$1 same digital	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 12:52
S10	6	(printer (printing adj (device sysem apparatus machine))) and (adjust\$4 calibrat\$4) and test same imag\$4 same distort\$4 same pattern\$1 same (interfer\$5 moire)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 12:53
S11	6	(inkjet printer (printing adj (device sysem apparatus machine))) and (adjust\$4 calibrat\$4) and test same imag\$4 same distort\$4 same pattern\$1 same (interfer\$5 moire)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 12:54

S12	1	(inkjet printer (printing adj (device sysem apparatus machine))) and (adjust\$4 calibrat\$4) and test same imag\$4 same (distort\$4 near3 (medium media substrate paper)) same pattern\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 12:55
S13	65	(inkjet printer (printing adj (device sysem apparatus machine))) and (adjust\$4 calibrat\$4) and test same imag\$4 same distort\$4 same pattern\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 12:55
S14	9	(inkjet printer (printing adj (device sysem apparatus machine))) and (adjust\$4 calibrat\$4) same test same imag\$4 same distort\$4 same pattern\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/16 12:28
S15	25	(interference moire) same distortion same image same pattern same test	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 12:25
S16	83	(inkjet printer (printing adj (device sysem apparatus machine))) and test same imag\$4 same distort\$4 same pattern\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/16 12:28
S17	6	(inkjet printer (printing adj (device sysem apparatus machine))) and test same imag\$4 same distort\$4 same pattern\$1 same (interference moire)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 12:29
S18	80	(inkjet printer (printing adj (device sysem apparatus machine))) and imag\$4 same distort\$4 same pattern\$1 same (interference moire)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 17:37
S19	0	digital near2 imag\$4 same distort\$4 same test near2 pattern\$1 same (interference moire)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 12:32
S20	10	digital near2 imag\$4 same distort\$4 same test near2 pattern\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 12:32
S21	9	("4365873"   "4920355"   "5084758"   "5530460"   "5648801"   "5757400").PN. OR ("6310637"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/16 12:35
S22	6	imag\$4 same (distort\$4 deform\$4 contort\$4 misshap\$4) same pattern\$1 same test same (interference moire) and (inkjet printer (printing adj (device sysem apparatus machine)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 17:39

S23	0	print\$4 same digital same imag\$4 same (distort\$4 deform\$4 contort\$4 misshap\$4) same pattern\$1 same test same (interference moire)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 17:40
S24	3	print\$4 same imag\$4 same (distort\$4 deform\$4 contort\$4 misshap\$4) same pattern\$1 same test same (interference moire)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 17:40
S25	256	print\$4 and digital and imag\$4 and (distort\$4 deform\$4 contort\$4 misshap\$4) and pattern\$1 near2 test and (interference moire)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 17:41
S26	0	print\$4 and digital and imag\$4 and (distort\$4 deform\$4 contort\$4 misshap\$4) same pattern\$1 near2 test same (interference moire)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 17:41
S27	11	print\$4 and digital and imag\$4 and (distort\$4 deform\$4 contort\$4 misshap\$4) same pattern\$1 same test same (interference moire)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 17:41
S28	335793	((("347") or ("358") or ("400") or ("101") or ("382") or ("399")).CLAS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/16 17:43
S29	74	S25 and S28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/16 17:43
S30	311	(test near1 pattern\$1) same imag\$4 same (distort\$4 deform\$4 contort\$4 misshap\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 18:05
S31	12	(test near1 pattern\$1) same imag\$4 same (distort\$4 deform\$4 contort\$4 misshap\$4) same (interference moire)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 18:39
S32	64	S28 and S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 17:46
S33	60	(test near1 pattern\$1) same imag\$4 same (distort\$4 deform\$4 contort\$4 misshap\$4) and (interference moire)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 17:50

S34	75	(test near1 pattern\$1) same imag\$4 same (distort\$4 deform\$4 contort\$4 misshap\$4) same (calibrat\$4 adjust\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 18:34
S35	12056	((347/19) or (347/116) or (101/484-485) or (400/70) or (400/76) or (400/61) or (358/1.12) or (358/1.1) or (358/3.26) or (358/406) or (358/504) or (382/167) or (382/294)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/16 18:27
S36	15	S25 and S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/16 18:29
S37	22	S30 and S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/16 18:29
S38	2	(test near1 pattern\$1) same imag\$4 same (distort\$4 deform\$4 contort\$4 misshap\$4) same (calibrat\$4 adjust\$4) same (interference moire)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 18:35
S39	48	(test near1 pattern\$1) and (interference moire) same imag\$4 same (distort\$4 deform\$4 contort\$4 misshap\$4) and (calibrat\$4 adjust\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 18:39
S40	133	(test near1 pattern\$1) same imag\$4 same (distort\$4 deform\$4 contort\$4 misshap\$4) same (measur\$4 calculat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 18:39
S41	14	(test near1 pattern\$1) and (interference moire) same imag\$4 same (distort\$4 deform\$4 contort\$4 misshap\$4) same (measur\$4 calculat\$4) and (calibrat\$4 adjust\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 20:21
S42	9	S35 and S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 18:41
S43	8	("5271096"   "5510896"   "5642202"   "5813771"   "6016207"   "6175428"   "6226419"   "6243173").PN. OR ("6643035").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/16 18:44
S44	11	print\$4 and distort\$4 same (media medium substrate web) same imag\$4 same (stretch shrink\$3) same measur\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 20:11

S45	32	distort\$4 same (media medium substrate web) same imag\$4 same (stretch shrink\$3) same (calibrat\$4 adjust\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 20:14
S46	18	distort\$4 same (media medium substrate web) same imag\$4 same (stretch shrink\$3) same (calibrat\$4 adjust\$4) and print\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 20:21
S47	3	(test and pattern\$1 and (interference moire) and imag\$4 and (distort\$4 deform\$4 contort\$4 misshap\$4) and (measur\$4 calculat\$4) and (calibrat\$4 adjust\$4)).clm.	US-PGPUB	OR	ON	2005/08/16 20:23
S48	9	((media medium substrate) and test and pattern\$1 and imag\$4 and (distort\$4 deform\$4 contort\$4 misshap\$4) and (measur\$4 calculat\$4) and (calibrat\$4 adjust\$4)).clm.	US-PGPUB	OR	ON	2005/08/16 20:24
S49	6	(print\$4 and test and pattern\$1 and imag\$4 and (distort\$4 deform\$4 contort\$4 misshap\$4) and (measur\$4 calculat\$4) and (calibrat\$4 adjust\$4)).clm.	US-PGPUB	OR	ON	2005/08/16 20:24